

Part 5323 - Environment, Energy and Water Efficiency, Renewable Energy Technologies, Occupational Safety, and Drug-Free Workplace

[DAFFARS PART 5323 Knowledge Center](#)

Revised: June 2024

[Subpart 5323.3 — HAZARDOUS MATERIAL IDENTIFICATION AND MATERIAL SAFETY DATA](#)

[5323.370-4 Procedures](#)

[Subpart 5323.8 — OZONE-DEPLETING SUBSTANCES](#)

[5323.803 Policy](#)

[5323.804-90 Contract Clauses](#)

[Subpart 5323.90 — HEALTH AND SAFETY ON GOVERNMENT INSTALLATIONS](#)

[5323.9001 Contract Clause](#)

Subpart 5323.3 — HAZARDOUS MATERIAL IDENTIFICATION AND MATERIAL SAFETY DATA

5323.370-4 Procedures

(1) *Preaward phase.*

(i)(A)(2) See [MP5301.601\(a\)\(i\)](#).

Subpart 5323.8 — OZONE-DEPLETING SUBSTANCES

5323.803 Policy

(a) Requiring activities must obtain approval in accordance with [AFMAN 32-7002](#) Environmental Compliance and Pollution Prevention, paragraph 3.3.5.1.1.8 before a specification or standard that requires the use of a class I ozone-depleting substance (ODS), or that can be met only through the use of an ODS, is authorized in any solicitation or contract/order.

5323.804-90 Contract Clauses

Include DAFFARS clause [5352.223-9000](#) in all solicitations and contracts/orders unless the requiring activity obtains approval IAW paragraph 5323.803(a) above. If approval is obtained, the contracting officer must instead use [FAR clause 52.223-11](#).

Subpart 5323.90 – HEALTH AND SAFETY ON GOVERNMENT INSTALLATIONS

5323.9001 Contract Clause

The contracting officer may insert DAFFARS clause [5352.223-9001](#) in solicitations and contracts, other than for construction, which require performance on a Government installation if needed. The contracting officer should coordinate these requirements with the Chief Engineer and include this clause only for efforts where these requirements are not already spelled out in the technical requirements documents which will also be included in the resultant contract.